



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 1 of 23

Applicant : LAND POWER TECHNOLOGY CO., LIMITED
Address : 5/F A, Block A4, Anle Industrial Estate, St. Hangcheng, Gushu, Baoan, Shenzhen, China, 518126
Products : BRUSHLESS ESC FOR RC Car
Model/P.O NO. : 1:10 Beast PRO 120A 2-3S, 1:8 Beast PRO 220A, 1:10 Beast SCT PRO 120A, 1:10 Beast PRO 120A 1-2S
Material : Metal, Plastic
Trade Name : ZTW
Receiving Date: 2014-11-20
Testing Period : 2014-11-20 to 2014-11-28

Test Requested:

- (1) As specified by client, to determine the Lead, Cadmium, Mercury, Chromium in the submitted sample.
- (2) Determination of Br of the submitted sample.

Test Method:

X-ray Fluorescence Method

Conclusion:

The test result of submitted sample complies with the requirement of 2011/65/EU.

Signed for and on behalf of
Shenzhen SEM.Test Technology Co., Ltd.

Ailis Ma

Ailis Ma
PSQ Executive



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 2 of 23

Test Results:

No.	Item	Unit	Acceptable Limit	No.1
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.1: Orange insulating bush

No.	Item	Unit	Acceptable Limit	No.2
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.2: Red insulating bush

No.	Item	Unit	Acceptable Limit	No.3
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.3: Blue Insulating bush



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 3 of 23

No.	Item	Unit	Acceptable Limit	No.4
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.4: Yellow insulating bush

No.	Item	Unit	Acceptable Limit	No.5
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.5: Black insulating bush

No.	Item	Unit	Acceptable Limit	No.6
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.6: Red wire



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 4 of 23

No.	Item	Unit	Acceptable Limit	No.7
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.7: Orange wire

No.	Item	Unit	Acceptable Limit	No.8
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.8: Blue wire

No.	Item	Unit	Acceptable Limit	No.9
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.9: Black wire



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 5 of 23

No.	Item	Unit	Acceptable Limit	No.10
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.10: Yellow wire

No.	Item	Unit	Acceptable Limit	No.11
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.11: Silvery metal

No.	Item	Unit	Acceptable Limit	No.12
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.12: Tags

No.	Item	Unit	Acceptable Limit	No.13
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.13: Red wire

No.	Item	Unit	Acceptable Limit	No.14
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.14: Black wire

No.	Item	Unit	Acceptable Limit	No.16
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.15: Silvery metal



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 7 of 23

No.	Item	Unit	Acceptable Limit	No.16
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.16: Capacitance

No.	Item	Unit	Acceptable Limit	No.17
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.17: Fan wire

No.	Item	Unit	Acceptable Limit	No.18
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.18: Black wire



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 8 of 23

No.	Item	Unit	Acceptable Limit	No.19
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.19: White wire

No.	Item	Unit	Acceptable Limit	No.20
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.20: Wire socket

No.	Item	Unit	Acceptable Limit	No.21
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.21: Copper metal

No.	Item	Unit	Acceptable Limit	No.22
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.22: Fixed metal column

No.	Item	Unit	Acceptable Limit	No.23
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.23: Copper cover

No.	Item	Unit	Acceptable Limit	No.24
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.24: Black plastic



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 10 of 23

No.	Item	Unit	Acceptable Limit	No.25
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.25: Decorate

No.	Item	Unit	Acceptable Limit	No.26
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.26: Red wire

No.	Item	Unit	Acceptable Limit	No.27
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.27: Soldering tin

No.	Item	Unit	Acceptable Limit	No.28
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.28: IC (No.2)

No.	Item	Unit	Acceptable Limit	No.29
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.29: PCB (No.2)

No.	Item	Unit	Acceptable Limit	No.30
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.30: Black metal



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 12 of 23

No.	Item	Unit	Acceptable Limit	No.31
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.31: Screw

No.	Item	Unit	Acceptable Limit	No.32
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.32: Copper metal

No.	Item	Unit	Acceptable Limit	No.33
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.33: Soldering tin



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 13 of 23

No.	Item	Unit	Acceptable Limit	No.34
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.34: IC

No.	Item	Unit	Acceptable Limit	No.35
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.35: PCB

No.	Item	Unit	Acceptable Limit	No.36
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.36: IC

No.	Item	Unit	Acceptable Limit	No.37
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.37: Electronic Components

No.	Item	Unit	Acceptable Limit	No.38
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.38: IC

No.	Item	Unit	Acceptable Limit	No.39
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.39: Tantalum capacitor



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 15 of 23

No.	Item	Unit	Acceptable Limit	No.40
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.40: Soldering tin

No.	Item	Unit	Acceptable Limit	No.41
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.41: Pin

No.	Item	Unit	Acceptable Limit	No.42
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.42: Insulation paste

No.	Item	Unit	Acceptable Limit	No.43
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.43: Fan

No.	Item	Unit	Acceptable Limit	No.44
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.44: Copper metal

No.	Item	Unit	Acceptable Limit	No.45
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.45: IC



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 17 of 23

No.	Item	Unit	Acceptable Limit	No.46
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.46: PCB

No.	Item	Unit	Acceptable Limit	No.47
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.47: Soldering tin

No.	Item	Unit	Acceptable Limit	No.48
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.48: Copper metal



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 18 of 23

No.	Item	Unit	Acceptable Limit	No.49
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.49: IC

No.	Item	Unit	Acceptable Limit	No.50
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.50: Key

No.	Item	Unit	Acceptable Limit	No.51
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.51: Wire socket

No.	Item	Unit	Acceptable Limit	No.52
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.52: White rubber

No.	Item	Unit	Acceptable Limit	No.53
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.53: PCB

No.	Item	Unit	Acceptable Limit	No.54
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.D.

Test Part Description:

No.54: Ribbon cable socket



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 20 of 23

No.	Item	Unit	Acceptable Limit	No.55
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.55: IC

No.	Item	Unit	Acceptable Limit	No.56
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.56: Inductance

No.	Item	Unit	Acceptable Limit	No.57
1	Lead (Pb)	ppm	1000	N.D.
2	Cadmium (Cd)	ppm	100	N.D.
3	Mercury (Hg)	ppm	1000	N.D.
4	Chromium (Cr)	ppm	1000	N.D.
5	Bromide (Br)	ppm	1000	N.C.

Test Part Description:

No.57: White socket



TEST REPORT

No.: STR14118140R

Date: 2014-11-28

Page 21 of 23

NOTE:

(1) N.D.= Not detected (< 2 ppm) For Pb, Cd, Hg, Cr

N.D.= Not detected (< 5 ppm) For Br



(2) N.C. = Not checked



(3) ppm = mg/kg

SEM.Test

PHOTOS:

Model: 1:10 Beast PRO 120A 2-3S





*****End of Test Report*****